



marine

CAPRI

Marine grade source units

SOFTWARE
UPDATE
PROCEDURE

for Capri H100 / Capri HD1

Rev. 0.1c

SOFTWARE UPDATE PROCEDURE

Product: Hertz Marine Multimedia Source Units

Model: CAPRI H100 - CAPRI HD1 remote controls

SW version:

CAPRI H100	CAPRI HD1
SYS: 2407021002	RMT: 2311200004
MLT: 2407030002	MLT: 2406210002
SoC: 2407020091	SoC: 2407020091
BT: LDAC_V100B043	BT: LDAC_V100B043
SXM: 2402020001 *	SXM: 2402020001 *
DAB: 24062101 *	DAB: 24062101 *
Hertz_LE: 24.7.1.1	Hertz_LE: 24.7.1.1
MDL: CAPRI H100	MDL: CAPRI HD1

*Visible only if CAPRI HMB DAB+ / SXM receiver is connected

Feature Improvements

- Added compatibility with **Hertz Marine Control** mobile APP:
 - For Android version 8.0 and above.
 - For iOS version 12 and above.

Installation instruction

1. Check the software version installed before performing the upgrade.
2. To check the installed software version please follow the below procedure:
Long press "MENU/BACK" button -> then select "SYSTEM" -> "SYSTEM INFO".
The system will display the installed SW version for a few seconds on the screen.

Preparation

You need a blank USB flash drive that has a capacity between 256MB and 64GB. Ensure the USB Flash Drive is formatted to FAT32.

- Download the update file from the DOWNLOAD area of the CAPRI product web page:
 - a. For CAPRI H100: <https://hertz-audio.com/product/capri/>
 - b. For CAPRI HD1: <https://hertz-audio.com/product/capri-hd1/>
- Unzip in your PC/laptop the update file folder and copy the decompressed files into a USB flash drive.

Install Process for USB update:

ATTENTION: before starting the USB update please take care of the following precautions

- Check that the power supply voltage is over 12Vdc and make sure that it stays over this level for the whole time the procedure is in progress.
- Do not shut off the unit during the upgrade procedure.
- Do not remove the USB flash drive while the upgrade procedure is in progress.

CAPRI H100 upgrade procedure

1. Turn on the CAPRI H100.
2. Connect the USB flash drive.
3. Long press "MENU/BACK" button -> then select "SYSTEM" -> then select "CAPRI H100 UPDATE".
4. The system will request you to confirm before starting the upgrade procedure. Please confirm "YES" by pressing the knob.
5. The unit may restart a few times while updating the software. When the upgrade procedure is complete the unit turns on in the source screen.
6. Remove the USB flash drive.
7. To verify the current system SW version please see "Installation instructions" in the above paragraph.

CAPRI HD1 upgrade procedure (you can update up to 3 CAPRI HD1 simultaneously connected to one CAPRI H100 head unit)

To use the same USB stick previously prepared for the CAPRI H100:

1. The CAPRI HD1 remote control should be connected to one CAPRI H100 head unit.
2. Turn on the CAPRI H100 with the CAPRI HD1 remote controls connected.
3. Connect the USB flash drive.
4. Long press "MENU/BACK" button -> then select "SYSTEM" -> "CAPRI HD1 UPDATE".
5. The unit may restart a few times while updating the software. When the upgrade procedure is complete the unit turns on in the source screen.
6. Remove the USB flash drive.
7. To verify the current system SW version please see "Installation instructions" in the above paragraph.



All specifications subject to change without notice

hertz-audio.com

HERTZ
The Sound Experience

PART OF ELETTRROMEDIA
62018 Potenza Picena (MC) Italy
T +39 0733 870 870 - F +39 0733 870 880
elettromedia.com